



10W 18GHz - Coaxial Termination

Design Features


- ◆ High RF performance, ultra-competitive price.
- ◆ Military, space and commercial applications.
- ◆ Custom design available upon request.
- ◆ Support one year standard warranty.

RF Characteristics

Model Number	Freq. Range	Power	VSWR Max	Connector Type	Impedance
UIYCT10AS124	DC-12.4GHz	10W	1.2	SMA Male	50 Ω
UIYCT10ASF124	DC-12.4GHz	10W	1.2	SMA Female	50 Ω
UIYCT10AS18	DC-18GHz	10W	1.25	SMA Male	50 Ω
UIYCT10ASF18	DC-18GHz	10W	1.25	SMA Female	50 Ω

² Listed are specific frequency ranges and tailor-made ranges available.

Mechanical Drawing



Unit: mm/ inch, General part tolerance is $\pm 2\%$ unless otherwise stated.

Ver. 5.3

Web: www.uiyinc.com

E-mail: sales@uiyinc.com

No. 8, Lane 1, Xintun East Zone, Longgang District, Shenzhen 518172, China.

Tel: +86-755-83748888 +86-755-25999990 Fax: +86-755-25999959

Please provide the information below when inquiring and mark * is required.

^{* 1.} Power handling

^{2.} Connect type (SMA Male/ Female, N Male/ Female, etc.)

^{3.} Other special requests (VSWR, Temperature, Dimension, etc.)